



1/10

ENTERPRISE MANAGEMENT APPLICATION 100




FIG. 1

2/10




FIG. 2

3/10




FIG. 3A

4/10

FROM FIG. 3A




FIG. 3B

5/10




FIG. 4




FIG. 5

600 ↗

| AGENT ID | THREAD | START | END | SCHEDULED | STATUS | SEVERITY |
|----------|--------|-------|-----|-----------|--------|----------|
| 010 | | | | | | |
| 008 | | | | | | |
| 006 | | | | | | |
| 003 | | | | | | |
| 001 | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

602 606 608 610 612 614

FIG. 6

FIG. 7A

700B

New DDM Probe

Cancel

Previous

Next

Disable this probe

Target

Which server(s) should run this probe?
Fisheye/Lily

Which process should be probed?
☒ Agent Manager
☐ HTTP

FIG. 7B

700C

New DDM Probe

Cancel

Previous

Next

Disable this probe

Type

Name:
Behind Schedule

Type:
Agents

SubType:
Agents behind schedule
Agent errors and problems
Agent behind schedule
Agents ranked by CPU usage
Agents ranked by memory usage
Long running agents

Custom:

FIG. 7C

10/10

700D

New DDM Probe

716

CancelPreviousNextDisable this probe

724

Specifics

| | |
|---|--------------------------------|
| If agent is running behind schedule by more than: | Generate an event of severity: |
| <input type="checkbox"/> 60 minutes | Fatal |
| <input type="checkbox"/> 45 minutes | Failure |
| <input type="checkbox"/> 30 minutes | Warning (High) |
| <input type="checkbox"/> 15 minutes | Warning (Low) |
| <input type="checkbox"/> 0 minutes | Normal |

FIG. 7D

700E

726

☐ Fatal

server1/AutoDev AMgr: Agent 'LS loop' in database 'ddm-demo1.nsf' is behind schedule by 18 minutes(s).

☐ Low

server1/AutoDev AMgr: Agent 'LS loop' in database 'ddm-demo1.nsf' is behind schedule by 5 minutes(s).

FIG. 7E